



lubecore™

2016 ALS Fittings Catalogue

LIPC16.008-02/19/16



NEXT GENERATION AUTOMATED LUBRICATION

Document Information

Title: Parts Manual Automated Lubrication Systems

File ref: Lubecore_PC_001

Revision: 00

Publication date: January 2016


Revisions:

All rights reserved. No part of this publication may be copied and/or published by any means without obtaining prior written permission from Lubecore™. Due to continuous product development and improvement Lubecore reserves the right to update parts at any time, the contents of this manual may also be changed without prior notice. This manual applies to the standard version of the product. Lubecore cannot accept liability for any damage arising from the use of this publication. Please contact Lubecore in case of any questions related to the revision of, required service, repairs and or maintenance as described in this publication


Contents Manual

2	DOCUMENT INFORMATION & DISCLAIMER
4	SECTION - A SECONDARY LINE CUBE ADAPTERS
5	SECTION - B SECONDARY LINE STRAIGHT ADAPTERS
6	SECTION - C 4 MM - SECONDARY LINE FITTINGS SECTION - D 5/32" - SECONDARY LINE FITTINGS
7	SECTION - E 5 MM - SECONDARY LINE FITTINGS
8	SECTION - F 6 MM - SECONDARY LINE FITTINGS
9	SECTION - G 8 MM - MAIN LINE FITTINGS SECTION - H 1/4" - LINCOLN SECONDARY LINE - MAIN LINE FITTINGS
10	SECTION - I 3/8" - MAIN LINE FITTINGS SECTION - J 5/16" - MAIN LINE FITTINGS
11	SECTION - K SYSTEM ADAPTERS
12	SECTION - L REDUCER FITTINGS
13 - 14	SECTION - M STANDARD FITTINGS - BRASS
15	SECTION - N STANDARD FITTINGS - STEEL
16	SECTION - O CERTIFIED AIR FITTINGS DOT - (DEPARTMENT OF TRANSPORT)
17 - 18	SECTION - P CERTIFIED HYDRAULIC FITTINGS JIC - (JOINT INDUSTRY COUNCIL)
19	SECTION - Q SYSTEM PLUGS
20	SECTION - R REUSABLE INSERT & SLEEVE FITTINGS
21 - 22	SECTION - S INSERTS, CLAMPS & TOOLS

I.D.	Part#	Description	Male Thread	Thread Type	Female Thread	Thread Type	Length		Material
			M		F		L		
A1	20.001	90° Cube Connector	1/4 - 28	UNF	1/8 - 28	BSPT	21.0 mm	53/64"	Steel
A2	20.002		1/4 - 28	UNF	1/8 - 28	BSPT	33.0 mm	1-5/16	Steel
A3	20.003		1/8 - 27	NPT	1/8 - 28	BSPT	25.5 mm	1"	Steel
A4	20.004		1/8 - 27	NPT	1/8 - 28	BSPT	38.3 mm	1-1/2"	Steel
A5	20.005		1/8 - 27	NPT	1/8 - 28	BSPT	51.0 mm	2"	Steel
A6	20.012		1/8 - 27	NPT	1/8 - 28	BSPT	21.0 mm	13/16"	Steel
A7	20.028		M8 - 1.00	Metric	1/8 - 28	BSPT	21.0 mm	53/64	Steel
A8	20.059		M6 - 1.00	Metric	1/8 - 28	BSPT	19.7 mm	25/32"	Steel
A9	20.060		1/8 - 28	BSPT	1/8 - 28	BSPT	25.5 mm	1"	Steel
A10	20.061		1/8 - 28	BSPT	1/8 - 28	BSPT	38.3 mm	1-1/2"	Steel
A11	20.062		1/8 - 28	BSPT	1/8 - 28	BSPT	51.0 mm	2"	Steel
A12	21.228		1/8 - 27	NPT	1/8 - 27	NPT	25.8 mm	1-1/64"	Brass
A13	35.031		1/8 - 27	NPT	1/8 - 27	NPT	28.0 mm	1-7/64"	Brass
A14	50.593		1/4 - 28	UNF	1/8 - 28	BSPT	21.0 mm	53/64"	Steel
A15	54.347		1/4 - 28	UNF	1/8 - 28	BSPT	21.0 mm	53/64"	Steel
A16	54.348		1/4 - 28	UNF	1/8 - 28	BSPT	33.0 mm	1-5/16	Steel



I.D.	Part#	Description	Male Thread	Thread Type	Female Thread	Thread Type	Length		Material
			M		F		L		
B1	20.006	Straight Adapter	1/4 - 28	UNF	1/8 - 28	BSPP	17.0 mm	21/32"	Steel
B2	20.027		M8 - 1.00	Metric	1/8 - 28	BSPP	18.5 mm	21/32"	Steel
B3	20.055		M10 - 1.50	Metric	1/8 - 28	BSPP	20.8 mm	13/16"	Brass
B4	20.063		1/8 - 28	BSPT	1/8 - 28	BSPP	22.1 mm	7/8"	Brass
B5	20.064		1/8 - 28	BSPT	1/8 - 28	BSPP	31.7 mm	1 - 1/4"	Brass
B6	20.066		1/4 - 28	UNF	1/8 - 28	BSPT	79.5 mm	3 - 1/8"	Steel
B7	20.067		1/4 - 28	UNF	1/8 - 28	BSPT	63.5 mm	2 - 1/2"	Steel
B8	20.302		M5 - 1.00	Metric	1/8 - 27	NPT	mm	"	Brass
B9	21.069		1/8 - 27	NPT	1/8 - 27	NPT	22.0 mm	7/8"	Brass
B10	35.030		1/8 - 27	NPT	1/8 - 27	NPT	30.0 mm	1 - 11/64"	Brass



C

SECONDARY LINE FITTINGS: 4 mm

I.D.	Part#	Description	Fitting Type	Male Thread	Thread Type	Material
C1	10.092	4 mm Tube & Line Fittings	Tube Insert	1/8 - 28	BSPT	Brass
C2	20.034		Straight Compression	1/8 - 28	BSPT	Steel
C3	20.036		Union			Steel
C4	20.050		Straight Compression	1/8 - 27	NPT	Brass
C5	20.051		Elbow Compression	1/8 - 28	BSPT	Steel
C6	35.020		Straight Compression Check Valve	1/8 - 28 x M8 - 1.0	BSPP Metric	Brass
C7	35.066		Push "Y" Connector			Plastic



D

SECONDARY LINE FITTINGS: 5/32 Inch

I.D.	Part#	Description	Fitting Type	Male Thread	Thread Type	Material
D1	20.029	5/32 Inch Tube & Line Fittings	Elbow Push To Connect	1/4 - 27	NPT	Steel
D2	20.032		Straight Push To Connect	1/4 - 27	NPT	Steel



I.D.	Part#	Description	Fitting Type	Male Thread	Thread Type	Material
E1	20.007	5 mm Tube & Line Fittings	Straight Push To Connect	1/8 - 28	BSPT	Brass
E2	20.008		Union Push To Connect			Steel
E3	20.022		Straight Compression	1/8 - 28	BSPT	Brass
E4	20.024		Elbow Compression	1/8 - 28	BSPT	Brass
E5	20.025		Union Compression			Brass
E6	20.056		Conical Straight Compression	M6 x 1.0	Metric	Steel
E7	20.068		Tee Push Branch Connector			Steel
E8	20.069		Elbow Push To Connect	1/8 - 27	NPT	Steel



I.D.	Part#	Description	Fitting Type	Male Thread	Thread Type	Material	
F1	20.031	6 mm Tube & Line Fittings	Straight Compression	1/8 - 28	BSPT	Brass	
F2	20.046		Elbow Compression	1/8 - 28	BSPT	Brass	
F3	20.200		Elbow Push To Connect	1/8 - 28	BSPT	Steel	
F4	20.201		Straight Push To Connect	1/8 - 28	BSPT	Steel	
F5	20.207		Elbow Compression	1/8 - 28	BSPT	Steel	
F6	20.208		Straight Compression	1/8 - 28	BSPT	Steel	
F7	20.214		Union Push To Connect			Steel	
F8	20.218		Elbow Swivel Push To Connect	1/8 - 28	BSPT	Steel	
F9	20.221		Tee Compression			Steel	
F10	20.241		Union Compression			Brass	
F11	20.301		SS - Elbow Compression		1/8 - 28	BSPT	Steel



G

MAIN LINE FITTINGS:

8 mm

I.D.	Part#	Description	Fitting Type	Male Thread	Thread Type	Material
G1	21.001	8 mm Tube & Line Fittings	Union Compression			Brass
G2	21.002		Tee Compression			Brass
G3	21.004		Elbow Compression	1/4 - 19	BSPT	Brass
G4	21.005		Straight Compression	1/4 - 19	BSPT	Brass
G5	21.035		Straight Compression	1/8 - 28	BSPT	Brass
G6	21.245		Elbow Compression	1/8 - 28	BSPT	Brass
G7	21.113		Straight Compression	1/8 - 28	BSPT	Steel
G8	21.114		Elbow Compression	1/8 - 28	BSPT	Steel



G1



G2



G3



G4



G5



G6



G7



G8

H

LINCOLN SECONDARY LINE: 1/4 Inch & Mainline Fittings

I.D.	Part#	Description	Fitting Type	Male Thread	Thread Type	Material
H1		1/4 Inch Tube & Line Fittings	Straight Compression	1/4 - 18	NPT	Brass
H2			Elbow Compression	1/4 - 18	NPT	Brass



H1



H2

I

MAIN LINE FITTINGS:

3/8 Inch

I.D.	Part#	Description	Fitting Type	Male Thread	Thread Type	Material
I1	20.246	3/8 Inch Tube & Line Fittings	Straight Compression	1/4 - 18	NPT	Steel
I2	20.247		Elbow Compression	1/4 - 18	NPT	Steel



J

MAIN LINE FITTINGS:

5/16 Inch

I.D.	Part#	Description	Fitting Type	Male Thread	Thread Type	Material
J1	21.105	5/16 Inch Tube & Line Fittings	Branch Tee Compression	1/4 - 18	NPT	Steel
J2	21.226		Tube Insert			Steel
J3	21.229		Elbow Compression	1/4 - 18	NPT	Steel
J4	21.230		Straight Compression	1/4 - 18	NPT	Steel



I.D.	Part#	Fitting Type	Male Thread	Thread Type	Male Thread	Female Thread	Thread Type	Material
K1	10.068	MLP Filter	M12 - 1.00	Metric		1/4 - 18	NPT	Brass
K2	10.069	MLP Filter	M12 - 1.00	Metric	1/4 - 18		NPT	Brass
K3	10.073		M14 - 1.50	Metric		M8 - 1	Metric	Brass
K4	10.085	Pressure Switch Port	M14 - 1.25	Metric		1/4 - 18	NPT	Brass
K5	12.033	Trailer Timer Solenoid				1/8 - 28	NPT	Brass
K6	20.055	Fassi Cranes	M10 - 1.50	Metric		1/8 - 28	BSPP	Brass
K7	20.063		1/8 - 28	BSPT		1/8 - 28	BSPP	Brass
K8	20.070		M12 - 1.00	Metric		1/8 - 28	BSPT	Brass
K9	21.069	Extension	1/8 - 27	NPT		1/8 - 18	NPT	Brass
K10	21.071		1/8 - 27	NPT		1/4 - 18	NPT	Brass



I.D.	Part#	Fitting Type	Male Thread	Thread Type	Male Thread	Female Thread	Female Thread	Thread Type	Material
L1	10.094		1/4 - 18	NPT			M14 - 1.25	Metric	Brass
L2	21.017		1/4 - 18	NPT	3/8 - 18			NPT	Brass
L3	21.063		1/4 - 18	NPT			1/8 - 27	NPT	Brass
L4	21.064		1/4 - 18	NPT	1/8 - 27			NPT	Brass
L5	21.072	8 Port Manifold Trailer Axle Assembly	1/4 - 18	NPT			1/8 - 27	NPT	Steel
L6	21.073		1/2 - 14	NPT			1/4 - 18	NPT	Brass
L7	21.074		3/4 - 14	NPT			1/2 - 14	NPT	Brass
L8	21.078		3/8 - 18	NPT			1/8 - 27	NPT	Brass
L9	21.080		3/8 - 18	NPT			1/4 - 18	NPT	Brass
L10	21.085	8 Port Manifold Flat Bracket Assembly	1/4 - 18	NPT			1/8 - 28	BSPT	Steel
L11	21.092	Reducer Coupling				3/8 - 18	1/4 - 18	NPT	Brass
L12	21.235		3/4 - 18	NPT			1/4 - 18	NPT	Brass
L13	21.236		1 - 11.5	NPT			1/4 - 18	NPT	Brass





**STANDARD FITTINGS:
BRASS**



I.D.	Part#	Fitting Type	Male Thread	Thread Type	Female Thread	Thread Type
M1	20.045	Female Tee			1/8 - 27	NPT
M2	21.079	Female Tee			1/4 - 18	NPT
M3	21.228	45° Street Elbow	1/8 - 27	NPT	1/8 - 27	NPT
M4	21.040	45° Street Elbow	1/4 - 18	NPT	1/4 - 18	NPT
M5	21.084	Hex Coupler			1/8 - 27	NPT
M6	21.050	Hex Coupler			1/4 - 18	NPT
M7	21.087	Street Tee	1/8 - 27	NPT	1/8 - 27	NPT
M8	21.062	Street Tee	1/4 - 18	NPT	1/4 - 18	NPT
M9	21.099	Branch Tee	1/4 - 18	NPT	1/4 - 18	NPT
M10	21.089	90° Street Elbow	1/4 - 18	NPT	1/4 - 18	NPT
M11	21.110	Close Nipple	1/8 - 27	NPT		
M12	21.077	2½ - Nipple	1/8 - 27	NPT		
M13	21.067	Hex Nipple	1/4 - 18	NPT		
M14	21.098	Close Nipple	1/4 - 18	NPT		
M15	21.083	90° Female Elbow			1/8 - 27	NPT
M16	35.060	90° Female Elbow			M8 - 1.25	Metric
M17	21.096	90° Female Elbow			1/4 - 18	NPT
M18	21.109	90° Male Elbow	1/4 - 18	NPT	1/4 - 18	NPT
M19	21.201	Cross	1/4 - 18	NPT	1/4 - 18	NPT
M20	21.046	Strait Hose Barb	1/4 - 18	NPT		



I.D.	Part#	Fitting Type	Male Thread	Thread Type	Female Thread	Thread Type
N1	21.233	90° Street Elbow	1/8 - 27	NPT	1/8 - 27	NPT
N2	21.218	90° Street Elbow	1/4 - 18	NPT	1/4 - 18	NPT
N3	21.108	Branch Tee	1/4 - 18	NPT	1/4 - 18	NPT
N4	21.102	Hex Nipple	1/4 - 18	NPT		
N5	21.098	Close Nipple	1/4 - 18	NPT		
N6	21.050	Hex Coupler			1/4 - 18	NPT
N7	21.087	Female Tee			1/4 - 18	NPT
N8	21.103	Swivel Coupler	1/4 - 18	NPT	1/4 - 18	NPT





**CERTIFIED AIR FITTINGS:
DOT - (Department Of Transport)**



I.D.	Part#	Fitting Type	Male Thread	Female Thread	Thread Type	Material
O1	22.002	Straight Compression 1/4 DOT	1/8 - 27		NPT	Brass
O2	22.016	Straight Compression 1/4 DOT	1/4 - 18		NPT	Brass
O3	22.035	Straight Compression 1/4 DOT		1/4 - 18	NPT	Brass
O4	22.001	90° Elbow Compression 1/4 DOT	1/8 - 27		NPT	Brass
O5	22.017	90° Elbow Compression 1/4 DOT	1/4 - 18		NPT	Brass
O6	22.020	90° Elbow Compression 3/8 DOT	3/8 - 18		NPT	Brass
O7	22.018	Branch Tee Compression 3/8 DOT	1/4 - 18		NPT	Brass
O8	22.041	Branch Tee Compression 3/8 DOT	1/4 - 18		NPT	Brass
O9	22.019	Branch Tee Compression 1/2 DOT	1/4 - 18		NPT	Brass
O10	22.049	Union Compression 1/4 DOT				Brass
O11	22.048	Tee Union Compression 1/4 DOT				Brass
O12	22.033	Tee Union Compression 3/8 DOT				Brass



I.D.	Part#	Fitting Type	Male Thread	Female Thread	Thread Type	Material
P1	21.051	37° #4 - Straight Male	1/8 - 28		BSPP	Steel
P2	21.009	37° #4 - Straight Male	1/4 - 18		NPT	Steel
P3	21.010	37° #4 - Straight Male	1/4 - 18		NPT	Steel
P4	21.214	37° #6 - Straight Male	1/4 - 18		NPT	Steel
P5	21.049	37° #4 - Straight Female		1/4 - 18	NPT	Steel
P6	21.052	37° #4 - Straight Female		1/8 - 27	NPT	Steel
P7	21.112	37° #4 - 45° Elbow Male	1/4 - 18		NPT	Steel
P8	21.111	37° #4 - 45° Elbow Male	1/4 - 18		NPT	Steel
P9	21.011	37° #4 - 90° Elbow Male	1/4 - 18		NPT	Steel
P10	21.012	37° #4 - 90° Elbow Male	1/4 - 18		NPT	Steel
P11	21.215	37° #6 - 90° Elbow Male	1/4 - 18		NPT	Steel
P12	21.061	37° #4 - Straight Union				Steel
P13	21.225	37° #6 - Straight Union				Steel
P14	21.094	37° #4 - Elbow Union				Steel
P15	21.056	37° #4 - Tee Union				Steel
P16	21.224	37° #6 - Tee Union				Steel

**CERTIFIED HYDRAULIC FITTINGS:
JIC - (Joint Industry Council)**





**AUTOMATED LUBRICATION SYSTEM:
PLUGS**



I.D.	Part#	Fitting Type	Tool	Male Thread	Thread Type	Material
Q1	10.018	2 Kg Mini-Modular - Low Level Plug	17mm Hex	M12 - 1.25	Metric	Brass
Q2	10.032	Pneumatic Pump - Non-Return Valve Port Plug	19mm Hex	M14 - 1.25	Metric	Brass
Q3	10.079	Pneumatic Pump - Pressure Gauge Port Plug	17mm Hex	1/4 - 28	PSPT	Brass
Q4	10.098	Pneumatic EP2 - Non-Return Valve Special Port Plug	19mm Hex	M15 - 1.00	Metric	Brass
Q5	10.302	Pneumatic Pump - Low Level Port Plug	19mm Hex	M14 - 1.25	Metric	Brass
Q6	11.031	Mk1, Mk2 & LCI First Generation Spyder Pump Element Plug	13mm Hex	M12 - 1.00	Metric	Brass
Q7	11.032	Modular Spyder MLP Element Plug	16mm Hex	M12 - 1.25	Metric	Plastic
Q8	11.033	Modular Progressive Element Plug	22mm Hex	M16 - 1.50	Metric	Stainless Steel
Q9	11.110	EP0 Manifold Injector Plug	5/8th Hex	1/2 - 24	UNS	Brass
Q10	20.205	Progressive Distributor Block Planking Plug	5mm Allen Socket	M10 - 1.00	Metric	Hardened Steel
Q11	21.006	EP0 Manifold End Plug	17mm Hex	1/4 - 28	BSPP	Brass
Q12	21.053	Pipe Plug	9/16th Hex	1/4 - 18	NPT	Steel
Q13	21.066	Pipe Plug	7/16th Hex	1/8 - 27	NPT	Brass
Q14	21.070	Blanking Plug		1/4 - 18	NPT	Hardened Brass
Q15	35.063	Pipe Plug	M8 - 1.00	M8 - 1.00	Metric	Brass



I.D.	Part#	Fitting Type	Use	Material
R1	21.199	6mm Long Straight Stud	30.200 - Korilla - 8.6 x 4.0 Unfilled 30.250 - Korilla - 8.6 x 4.0 Filled	Steel
R2	20.216	6mm Short Straight Stud		Steel
R3	20.217	6mm 45° Elbow Stud		Steel
R4	20.198	6mm 90° Elbow Stud		Steel
R5	20.215	6mm Reusable Stud Sleeve		Steel
R6	20.229	8mm Straight Stud	30.204 - Large Korilla - 11.3 x 6.3 Unfilled 30.254 - Large Korilla - 11.3 x 6.3 Filled	Steel
R7	20.228	8mm Reusable Stud Sleeve		Steel



I.D.	Part#	Fitting Type	Tool Require	Use	Material
S1	20.236	5mm - Straight Stud	S18	30.200 - Korilla - 8.6 x 4.0 Unfilled 30.250 - Korilla - 8.6 x 4.0 Filled	Steel
S2	FUTURE	5mm - Splicer			Steel
S3	20.230	6mm - Straight Stud	S17		Steel
S4	20.231	6mm - Straight Stud Shell			Steel
S5	20.223	6mm - Straight Stud	S18 S19 S20		Steel
S6	20.224	6mm - 45° Elbow Stud			Steel
S7	20.225	6mm - 90° Elbow Stud			Steel
S8	20.237	6mm - Splicer ITR			Steel
S9	20.227	8mm - Straight Stud	S18	30.204 - Korilla - 11.3 x 6.3 Unfilled	Steel
S10	20.238	8mm - Splicer TNR			Steel
S11	21.247	8mm - 37° #4 JIC Straight Female	S18		Steel
S12	21.240	9.5mm - 37° #6 JIC Straight Female	S18	SAE 100R8-06 Synflex 3/8 Unfilled	Steel
S13	20.232	9.5mm - SS Clamp	S18	S1 > S8	Stainless
S14	20.233	11.9mm - SS Clamp		S9 > S11	Stainless
S15	20.248	17.0mm - SS Clamp		S12	Stainless
S16	20.245	19.8mm - SS Clamp			Stainless
S17	70.113	Crimp Tool for Hose Fitting			
S18	70.114	Hand Crimp Tool - SS Step Clamp			
S19	71.033	Tube Cutters			
S20	71.032	Insertion Tool - 4mm ID Korilla			
S21	70.118	Insertion Tool & Fitting Kit			





